INDEX

Agriculture, comparative labour efficiency in, 137–44.
— fertilizer policy in war-time, 77–97.
— in Dikwa Emirate (Cameroons), 65–72.
— in Western Europe, 171–83.
Animal industries in Tropical Australia, 153–66; animal diseases, 156–7; earning power of, beef-cattle, 159–62, dairy cattle, 162, pigs, &c., 162, sheep, 157–9; environment for live stock, 153–5; management, 155–6; soil and vegetation, 157; water-supplies, 156.
Arable crops, fertilizer requirements in war-time, 77–97, average responses to fertilizers, 79–82; crop increases due to optimal and sub-optimal dressings 94–6; influence of dung, 82–3, of locality 83–4; interactions, 86–8; optimal dressings, 88–92; response of different crops, 84–6; response to salt, 86; war-time dressings, 92–4.
Artichokes, feeding-value of ensiled Jerusalem, 73–6; composition of fresh and ensiled tubers, 73–5; digestibility of ensiled tubers, 75–6; ensilage methods used, 73, 74.
Australia, agricultural economic data, 137 sqq.
— animal industries in tropical, 153–66.
— cultivation of Rice grass in Western, 169–70.

Beilby, O. J., comparative labour efficiency in agriculture, 137–44.
Bondi, A., the feeding-value of ensiled Jerusalem artichoke tubers, 73–6.
Bryce, James, the economic exploitation of rice grass, 167–70.

Canada, agricultural economic data, 137 sqq.
— tobacco research in, 265-76.
Cattle, dairy, milk yields in Denmark and France, 173.
— of Dikwa Emirate (Cameroons), 69.
— of India, 1–11; breeds, 2–5; methods of improving, 5, 6, 8; results obtained, 8–11.
Cereal crops, in Dikwa Emirate, 70–1.
— optimal fertilizer dressings, 90–1; responses to NPK, 81, 85–6.
Cinchona cultivation, 111–24; early history, 112–16; in Belgian Congo, 119; in India, 117–18, 119; in Java, 116–17, 118–19; possibilities of extension in British Empire, 119–23; Ceylon, 123; East Africa, 121–2; India and Burma, 117, 119–21; Malaya, 122–3; New Guinea, 123; West Africa, 122.
Cobalt, use of, to control pining in sheep, 145–52; presence in soils, 143, 147, 149–50, 151.
Cooper, H. R., *see* Woodford, E. K.
Cotton, form and date of nitrogenous manuring of, in Sudan Gezira, 125–36; comparative effects of ammonia and nitrate fertilizers, 125 sqq.; effects of date of application, 131–2; experimental details and results, 126–30; superiority of nitrate, 127, 129–30, 132–3; yields with fertilizers at varying depth, 134–5, with water-logging, 133–4.
Crowther, E. M., fertilizer policy in war-time, 77–97.
Crowther, F., form and date of nitrogenous manuring of cotton in the Sudan Gezira, 125–36.

Dikwa Emirate (Cameroons), agricultural economy of the Hill Pagans of, 64–72; agricultural practices, 66–7; animal husbandry, 69; clans and population, 65–6; crop rotation, 70–1; manuring, 69–70; planting and protection of trees, 71; soil conservation, 67–8.
Diseases, animal, in tropical Australia, 156–7, 163, 165.
— 'pining' in sheep, 145–52.
Donald, H. P., length of life and interval between generations in the Large White breed of pigs, 236–45.
Ducklings, table, factors influencing weight of, 50–6; experimental details, 50–1; influence of age of parent, 51; of egg-weight, 52–3; of position of egg in clutch, 53–4.
Dudley, F. J., *see* Temperton, H.

Eggs, ducks', factors influencing hatchability of, 50–6; influence of egg-weight, 54–5, of position in clutch, 54.
Europe, Western, farm problems of, 171–83.
Evans, Sir G., the possibility of extending *cinchona* cultivation in the British Empire, 111–24.

Farm problems of Western Europe, 171–83; Belgium and Switzerland, 173–7; Denmark, 177–9; France, 171–3; Germany, 179–81; milk yields per acre, 173; outputs in 1937, 175, 179; planning food production, 182; role of State, 183; science and practice, 183; size of farms, 177, 182–3.
Fertilizers, effects of, on potatoes, 195 sqq.
— — on tobacco, 266-8.
— — on young tea, 12 sqq.
— — nitrogenous, on cotton, 125–36.
— — — on quality of hay, 43–9.

XUM

Fertilizers, use of in war-time, 77–97.
Finney, D. J., the relationship of plant number and yield in sugar-beet and mangolds, 57–64.
French, M. H., the nutritive values of some Tanganyika grasses, 23–8.

Garner, H. V., *see* Russell, Sir E. J.
Grasses, nutritive value of some Tanganyika, 23–8.
Grassland, manuring of ploughed-out, 235.
— manuring of, with cobalt-rich fertilizer, 147–52.
— manuring with nitrogen for hay, 43–9.

Hay, improving the quality of, 43–9; experimental, 43; nitrogen recovery, 44; protein-content, 44, 45–6, 47–8; starch equivalent, 48; yields, 43–4, 45, 47.
Hine, H. J., *see* Russell, E. W.

India (British), cattle of, 1–11.
— *Cinchona* cultivation, 117–18, 119–21.
— manuring of young tea, 12–22.
— rice, 184 sqq.
— Rice grass, 169, 170.
Indies, Netherlands East, *Cinchona* cultivation in, 111, 112, 114, 116–17, 118–19.

Kelley, R. B., animal industries in tropical Australia, 153–66.

Labour, comparative efficiency of, in agriculture, 137–44; persons fed per worker, 137–9; relation of output per worker to other economic factors, 142–4; results for 12 countries, 140–2; value of output per worker, 139–40.
Lewis, A. H., improving the quality of hay, 43–9.

Maize, response of, to inter-row tillage in U.S.A., 29–32.
Mangolds, optimal fertilizer dressings for, 90–1; response to dung, 83; to NPK, 80, 85–6; salt, 86.
— relationship of plant number and yield, 57–64; experiments in Denmark, 58–61, 61–3.
Manures and manuring, *see* Fertilizers.
Meyer, H., *see* Bondi, A.
Mitchell, R. L., *see* Stewart, J.

Nelson, R. T., Tobacco research in Canada, 265–76.
Netherlands East Indies, *Cinchona* cultivation in, 113, 114, 116–17, 118–19.

Pereira, H. C., crop response to inter-row tillage, 29–42.
Pests, effect of manuring on susceptibility of potatoes to attack by, 227–8.
— red spider of tea, 17–18.
— ticks in tropical Australia, 165.
Pigs, feeding of, in Germany, 181.
— in tropical Australia, 162.
— interval between generations of, 236–47, of notable families and tribes, 243–5; length of breeding-life of ewes, 236–40.
'Pining' in sheep, control of, with cobalt, 145–52.
Potato crop, effect of inter-row tillage on, 34–41.
— meal, dried, and steamed potatoes for feeding poultry, 253–7.
Potatoes, optimal fertilizer requirements, 92 sqq.; actual fertilizer responses, 80 sqq., 195 sqq. (*v.i.*).
—, Rothamsted experiments on manuring, 195–235; early experiments, 195–7, modern, 197 sqq.
Effects on yield: of chloride, 219–20; of condition of fertilizer, 221; of dung, 203–5, 208–9, 210, 213, 221–3, 224–5; of magnesium salts, 217–18; of nitrogen, 199–208; ammonium bicarbonate, 206, ammonium chloride, 207–8, ammonium sulphate, 199–201, calcium cyanamide, 206, with P and K, 201–3, soil type, 205–6.
— of phosphate, 208–11: Gafsa phosphate, 211; superphosphate, 208–11; soil type, 209, 210–11.
— of potash, 211–15, 220–1: with N and P, 212–13; soil conditions, 213–14; soil type, 214–15.
— of poultry manure, 225–6; rape, 226; sodium salts, 218; straw, 223–5.
Influence of fertilizers on habit of growth, &c., 227–9; attack by insects and fungi, 227–8; keeping quality, 228; size of tubers, 228–9.
Summary of effects of fertilizers on growth, 229–35; complete fertilizers, 223; manurial practice, 233–4; manuring of ploughed-out grassland, 235; responses to standard dressings, 232–3.
Poultry, in war-time, research in nutrition of, coconut-cake meal, 251–2; decorticated ground-nut meal, 252–3; dried yeast, 252–3; extracted palm-kernel meal, 250; geese, rearing of, 261–2; food for pullets, 258–61; potato meal, dried, 255–7; potatoes, steamed, 253–5; tapioca meal, 250–1; town food waste, 257–8.

Rendel, J. M., some factors influencing the weight of table ducklings and the hatchability of ducks' eggs, 50–6.
Rice, quality in, 184–94; chemical composition, 184–6; dry and wet cultivated rices,

185–6, 189; influence of manuring, 185; nutritive properties, 188–90; preparation for market and table, 186–7; rice-bran as food, 191.
Rice grass, exploitation of, 167–70; in England, 167, 168; in Holland, 167, 168–9; in overseas Empire, 169–70; regions suitable for, 167–8, 170.
Roots and kale, response of, to inter-row tillage, 33–4.
Russell, Sir E. J., the Rothamsted experiments on the manuring of potatoes, Pt. I, 195–215, Pt. II, 217–26; Pt. III, 227–35.
Russell, E. W., on measuring the efficiency of a tractor by its fuel consumption, 98–110.

Salt, agricultural, responses of mangolds and sugar-beet to, 86; potatoes, 218.
Sheep, in Dikwa Emirate, 69.
— in tropical Australia, 153, 155–6, 157–9, 164.
— 'pining' in, 145–52; control by administering cobalt, 145–7, by use of cobalt-rich fertilizer, 147–52; grazing experiment, 150–2; manurial experiments, 147–50.
Sreenivasan, quality in rice, 184–94.
Stewart, A. B., *see* Stewart, J.
Stewart, J., pining in sheep: its control by administration of cobalt and by use of cobalt-rich fertilizers, 145–52.
Sudan (Anglo-Egyptian), nitrogenous manuring of cotton, 125–36.
Sugar-beet, relationship of plant number and yield, 57–64; experiments in Holland, 63–4.
— responses to NPK in Gt. Britain, 80, 85–6, 90, 91; to salt, 86; to superphosphate in South Sweden, 84.
Swedes, optimal fertilizer dressings for, 90, 91; response to dung, 83; to NPK, 80, 85–6.

Tanganyika Territory, nutritive value of some grasses in, 23–8.
Tea, factorial experiment on manuring of young, 12–22; design, 12–13, 18–19; details, 13–14; incidence of red spider, 17–18; results, 15–17, 19–21.
Temperton, H., research in poultry nutrition in war-time, 248–64.
Tillage, inter-row, crop response to, 29–42; experiments with maize in U.S.A., 29–32; with roots and kale in Gt. Britain, 33–4; with vegetable crops in U.S.A., 32–3; in potato cultivation, 34–8, 38–41.
Tobacco research in Canada, 265–76; carbohydrate metabolism, 270; fertilizers, 266–8; genetics and varietal improvement, 273–5; mineral absorption, 269–70; nitrogen metabolism, 270–1; nutrition studies in sand-culture, 271–2; plant hormones, 272–3; soils, 268; value of research to industry, 275.
Tractor, measuring efficiency of, by fuel-consumption, 98–110; drawbar-pull, estimation of, 108, 110; fuel-consumption and drawbar-pull, 103–4, and gear-ratio, 107, and speed of ploughing, 108, 109; fuel measurements, 101–3, 104–6; measurements taken, 99–100; optimum length of run, 106–7; statistical methods used, 100–1.

Vegetable crops, response of, to inter-row tillage in U.S.A., 32–3.
Volcani, R., *see* Bondi, A.

Ware, F., the cattle of India and their development, 1–11.
Weeding, compared with inter-tillage for maize, 30 sqq.
Woodford, E. K., a factorial experiment on the manuring of young tea, 12–22.

Yates, F., *see* Crowther, E. M.
Yates, P. Lamartine, farm problems of Western Europe, 171–83.